



System	Linux lsh812.siteprotect.co.kr 2.4.36 #1 SMP Thu Jan 24 11:02:00 KST 2008 i686
Build Date	Dec 29 2004 11:25:49
Configure Command	'./configure' '--with-mysql=/usr/local/mysql' '--enable-sysvshm=yes' '--enable-sysvsem=yes' '--enable-debug=no' '--enable-safe-mode=yes' '--enable-track-vars=yes' '--enable-force-cgi-redirect=yes' '--enable-url-fopen-wrapper=yes' '--with-ttf=/usr/local' '--with-png-dir=/usr/local' '--with-zlib-dir=/usr/local' '--with-jpeg-dir=/usr/local' '--with-mhash=/usr/local' '--with-mcrypt=/usr/local' '--with-gdbm=/usr/local' '--enable-ftp' '--with-tiff-dir=/usr/local' '--with-curl=/usr/local' '--with-ming=/usr/local' '--enable-memory-limit' '--enable-mbstring' '--with-expat-dir=/usr/local' '--enable-sockets' '--enable-wddx' '--with-mcal=/usr/local/mcal' '--with-freetype-dir=/usr/local' '--enable-bcmath' '--enable-mbstr-enc-trans' '--enable-mbregex' '--with-xsl=/usr/local' '--enable-exif' '--with-gd' '--enable-gd-native-ttf' '--enable-gd-imgstrttf' '--prefix=/usr/local/php' '--with-pear=/usr/local/php/share/pear' '--enable-calendar' '--with-dom=/usr/local' '--with-openssl=/usr/local/ssl' '--with-zip=/usr/local' '--with-iconv=/usr/local' '--with-imap=/usr/local'
Server API	CGI
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/home/www/seokyoung/cgi-bin/php.ini
PHP API	20020918
PHP Extension	20020429
Zend Extension	20021010
Debug Build	no
Thread Safety	disabled
Registered PHP Streams	php, http, ftp, https, ftps, compress.zlib

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v1.3.0, Copyright (c) 1998-2004 Zend Technologies with Zend
 Optimizer v2.5.7, Copyright (c) 1998-2004, by Zend Technologies

PHP Credits

Configuration

PHP Core

Directive	Local Value	Master Value
allow_call_time_pass_reference	On	On
allow_url_fopen	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>

error_prepend_string	no value	no value
error_reporting	no value	no value
expose_php	On	On
extension_dir	/usr/local/php/lib/php/extensions/no-debug-non-zts-20020429	/usr/local/php/lib/php/extensions/no-debug-non-zts-20020429
file_uploads	On	On
gpc_order	GPC	GPC
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./usr/local/php/share/pear	./usr/local/php/share/pear
log_errors	Off	Off
log_errors_max_len	1024	1024
magic_quotes_gpc	On	On
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
max_execution_time	30	30
max_input_time	-1	-1
memory_limit	8M	8M
open_basedir	no value	no value
output_buffering	0	0
output_handler	no value	no value
post_max_size	8M	8M
precision	14	14
register_argc_argv	On	On
register_globals	On	On
report_memleaks	On	On
safe_mode	Off	Off
safe_mode_exec_dir	/usr/local/php/bin	/usr/local/php/bin
safe_mode_gid	Off	Off
safe_mode_include_dir	no value	no value
sendmail_from	no value	no value
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	no value	no value
upload_max_filesize	20M	20M
upload_tmp_dir	/home/seokyoung3/www/tmp	/home/seokyoung3/www/tmp
user_dir	no value	no value
variables_order	no value	no value
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On

Zend Optimizer

Optimization Pass 1	enabled
Optimization Pass 2	enabled
Optimization Pass 3	enabled
Optimization Pass 4	enabled
Optimization Pass 9	disabled
Zend Loader	enabled
License Path	no value

bcmath

BCMath support	enabled
----------------	---------

calendar

Calendar support	enabled
------------------	---------

ctype

ctype functions	enabled
-----------------	---------

curl

CURL support	enabled
CURL Information	libcurl/7.12.3 OpenSSL/0.9.7d zlib/1.2.1

dba

DBA support	enabled
Supported handlers	gdbm cdb cdb_make inifile flatfile

domxml

DOM/XML	enabled
DOM/XML API Version	20020815
libxml Version	20616
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: exif.c,v 1.118.2.29 2004/11/10 01:44:58 iliaa Exp \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

ftp

FTP support	enabled
-------------	---------

gd

GD Support	enabled
GD Version	bundled (2.0.28 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
GIF Read Support	enabled
GIF Create Support	enabled
JPG Support	enabled
PNG Support	enabled
WBMP Support	enabled
XBM Support	enabled

iconv

iconv support	enabled
iconv implementation	libiconv
iconv library version	1.9

Directive	Local Value	Master Value
-----------	-------------	--------------

iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imap

IMAP c-Client Version	2000
------------------------------	------

mbstring

Multibyte Support	enabled
Japanese support	enabled
Simplified chinese support	enabled
Traditional chinese support	enabled
Korean support	enabled
Russian support	enabled
Multibyte (japanese) regex support	enabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.internal_encoding	ISO-8859-1	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mccl

MCAL Support	enabled
MCAL Version	0.6 - 20000121

mcrypt

mcrypt support	enabled
version	>= 2.4.x
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mhash

MHASH support	Enabled
MHASH API Version	20011020

ming

Ming SWF output library	enabled
Version	0.2a

mysql

MySQL Support	enabled

Active Persistent Links	0
Active Links	0
Client API version	3.23.47
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/tmp/mysql.sock
MYSQL_INCLUDE	-I/usr/local/mysql/include/mysql
MYSQL_LIBS	-L/usr/local/mysql/lib/mysql -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Version	OpenSSL 0.9.7d 17 Mar 2004

overload

User-Space Object Overloading Support	enabled
---------------------------------------	---------

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	4.5 01-December-2003

posix

Revision	\$Revision: 1.51.2.2 \$
----------	-------------------------

session

Session Support	enabled
Registered save handlers	files user

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/home/seokyung3/www/tmp	/home/seokyung3/www/tmp
session.serialize_handler	php	php
session.use_cookies	On	On

session.use_only_cookies	Off	Off
session.use_trans_sid	Off	Off

sockets

Sockets Support	enabled
-----------------	---------

standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,form=,fieldset=	a=href,area=href,frame=src,form=,fieldset=
user_agent	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
-------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active
EXPAT Version	expat_1.95.7

zip

Zip support	enabled
-------------	---------

zlib

ZLib Support	enabled
Compiled Version	1.2.1
Linked Version	1.2.1

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name
sysvsem
sysvshm

Environment

Variable	Value
PATH	/usr/local/bin:/usr/bin:/bin
DOCUMENT_ROOT	/www/seokyung
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_ACCEPT_LANGUAGE	en,*
HTTP_CONNECTION	Keep-Alive
HTTP_HOST	seokyung.com
HTTP_USER_AGENT	Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/538.1 (KHTML, like Gecko) wkhtmltopdf Safari/538.1
REDIRECT_QUERY_STRING	a%5B%5D=%3Ca+href%3Dhttps%3A%2F%2Fvisionketo.org%3Evision+Keto%3C%2Fa%3E%3Cmeta+http-equiv%3Drefresh+content%3D0%3Burl%3Dhttps%3A%2F%2Fvisionketo.org+%2F%3E?print=1
REDIRECT_STATUS	200
REDIRECT_URL	/phpinfo.php
REMOTE_ADDR	149.202.93.96
REMOTE_PORT	35422
SCRIPT_FILENAME	/www/seokyung/cgi-bin/php
SERVER_ADDR	66.232.138.42
SERVER_ADMIN	webmaster@seokyung.co.kr
SERVER_NAME	www.seokyung.co.kr
SERVER_PORT	80
SERVER_SOFTWARE	Apache
UNIQUE_ID	ZD02D0LoioAAB3WBs8
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	a%5B%5D=%3Ca+href%3Dhttps%3A%2F%2Fvisionketo.org%3Evision+Keto%3C%2Fa%3E%3Cmeta+http-equiv%3Drefresh+content%3D0%3Burl%3Dhttps%3A%2F%2Fvisionketo.org+%2F%3E?print=1
REQUEST_URI	/phpinfo.php? a%5B%5D=%3Ca+href%3Dhttps%3A%2F%2Fvisionketo.org%3Evision+Keto%3C%2Fa%3E%3Cmeta+http-equiv%3Drefresh+content%3D0%3Burl%3Dhttps%3A%2F%2Fvisionketo.org+%2F%3E?print=1
SCRIPT_NAME	/cgi-bin/php
PATH_INFO	/phpinfo.php
PATH_TRANSLATED	/www/seokyung/phpinfo.php

PHP Variables

Variable	Value
PHP_SELF	/phpinfo.php
_REQUEST["a"]	Array ([0] => Vision Keto?print=1)
_GET["a"]	Array ([0] => Vision Keto?print=1)
_SERVER["PATH"]	/usr/local/bin:/usr/bin:/bin
_SERVER["DOCUMENT_ROOT"]	/www/seokyung
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en,*
_SERVER["HTTP_CONNECTION"]	Keep-Alive
_SERVER["HTTP_HOST"]	seokyung.com
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/538.1 (KHTML, like Gecko) wkhtmltopdf Safari/538.1
_SERVER["REDIRECT_QUERY_STRING"]	a%5B%5D=%3Ca+href%3Dhttps%3A%2F%2Fvisionketo.org%3Evision+Keto%3C%2Fa%3E%3Cmeta+http-equiv%3Drefresh+content%3D0%3Burl%3Dhttps%3A%2F%2Fvisionketo.org+%2F%3E?print=1
_SERVER["REDIRECT_STATUS"]	200
_SERVER["REDIRECT_URL"]	/phpinfo.php
_SERVER["REMOTE_ADDR"]	149.202.93.96
_SERVER["REMOTE_PORT"]	35422
_SERVER["SCRIPT_FILENAME"]	/www/seokyung/cgi-bin/php
_SERVER["SERVER_ADDR"]	66.232.138.42
_SERVER["SERVER_ADMIN"]	webmaster@seokyung.co.kr
_SERVER["SERVER_NAME"]	www.seokyung.co.kr
_SERVER["SERVER_PORT"]	80
_SERVER["SERVER_SOFTWARE"]	Apache
_SERVER["UNIQUE_ID"]	ZD02D0LoioAAB3WBs8
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1

_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	a%5B%5D=%3Ca+href%3Dhttps%3A%2F%2Fvisionketo.org%3Evision+Keto%3C%2Fa%3E%3Cmeta+http-equiv%3Drefresh+content%3D0%3Burl%3Dhttps%3A%2F%2Fvisionketo.org+%2F%3E?print=1
_SERVER["REQUEST_URI"]	/phpinfo.php? a%5B%5D=%3Ca+href%3Dhttps%3A%2F%2Fvisionketo.org%3Evision+Keto%3C%2Fa%3E%3Cmeta+http-equiv%3Drefresh+content%3D0%3Burl%3Dhttps%3A%2F%2Fvisionketo.org+%2F%3E?print=1
_SERVER["SCRIPT_NAME"]	/cgi-bin/php
_SERVER["PATH_INFO"]	/phpinfo.php
_SERVER["PATH_TRANSLATED"]	/www/seokyung/phpinfo.php
_SERVER["PHP_SELF"]	/phpinfo.php
_SERVER["argv"]	Array ([0] => a%5B%5D=%3Ca [1] => href%3Dhttps%3A%2F%2Fvisionketo.org%3Evision [2] => Keto%3C%2Fa%3E%3Cmeta [3] => http-equiv%3Drefresh [4] => content%3D0%3Burl%3Dhttps%3A%2F%2Fvisionketo.org [5] => %2F%3E?print=1)
_SERVER["argc"]	6
_ENV["PATH"]	/usr/local/bin:/usr/bin:/bin
_ENV["DOCUMENT_ROOT"]	/www/seokyung
_ENV["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_ENV["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_ENV["HTTP_ACCEPT_LANGUAGE"]	en,*
_ENV["HTTP_CONNECTION"]	Keep-Alive
_ENV["HTTP_HOST"]	seokyung.com
_ENV["HTTP_USER_AGENT"]	Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/538.1 (KHTML, like Gecko) wkhtmltopdf Safari/538.1
_ENV["REDIRECT_QUERY_STRING"]	a%5B%5D=%3Ca+href%3Dhttps%3A%2F%2Fvisionketo.org%3Evision+Keto%3C%2Fa%3E%3Cmeta+http-equiv%3Drefresh+content%3D0%3Burl%3Dhttps%3A%2F%2Fvisionketo.org+%2F%3E?print=1
_ENV["REDIRECT_STATUS"]	200
_ENV["REDIRECT_URL"]	/phpinfo.php
_ENV["REMOTE_ADDR"]	149.202.93.96
_ENV["REMOTE_PORT"]	35422
_ENV["SCRIPT_FILENAME"]	/www/seokyung/cgi-bin/php
_ENV["SERVER_ADDR"]	66.232.138.42
_ENV["SERVER_ADMIN"]	webmaster@seokyung.co.kr
_ENV["SERVER_NAME"]	www.seokyung.co.kr
_ENV["SERVER_PORT"]	80
_ENV["SERVER_SOFTWARE"]	Apache
_ENV["UNIQUE_ID"]	ZD02D0LoioAAB3WBs8
_ENV["GATEWAY_INTERFACE"]	CGI/1.1
_ENV["SERVER_PROTOCOL"]	HTTP/1.1
_ENV["REQUEST_METHOD"]	GET
_ENV["QUERY_STRING"]	a%5B%5D=%3Ca+href%3Dhttps%3A%2F%2Fvisionketo.org%3Evision+Keto%3C%2Fa%3E%3Cmeta+http-equiv%3Drefresh+content%3D0%3Burl%3Dhttps%3A%2F%2Fvisionketo.org+%2F%3E?print=1
_ENV["REQUEST_URI"]	/phpinfo.php? a%5B%5D=%3Ca+href%3Dhttps%3A%2F%2Fvisionketo.org%3Evision+Keto%3C%2Fa%3E%3Cmeta+http-equiv%3Drefresh+content%3D0%3Burl%3Dhttps%3A%2F%2Fvisionketo.org+%2F%3E?print=1
_ENV["SCRIPT_NAME"]	/cgi-bin/php
_ENV["PATH_INFO"]	/phpinfo.php
_ENV["PATH_TRANSLATED"]	/www/seokyung/phpinfo.php

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.